IN THE CLAIMS:

Claim 1 (Withdrawn): An electrical cable coating method for providing a coating layer on an outer surface of an electrical cable which is moving along a predetermined direction, the method comprising:

jetting a given amount of a coating liquid at regular intervals on the outer surface of the electrical cable to provide a coating layer on the outer surface of the electrical cable, wherein the coating liquid includes a coating material for defining the coating layer and a solvent for dissolving the coating material.

Claim 2 (Withdrawn): The method described in claim 1 further comprising:

jetting a given amount of a colorant at the regular intervals on the outer surface of the electrical cable to deposit the colorant on the outer surface, before jetting a given amount of the coating liquid at the regular intervals toward the outer surface of the electrical cable to provide a coating layer on the colorant coated on the outer surface of the electrical cable.

Claim 3 (Currently amended): An electrical cable coating apparatus for providing a coating layer on an outer surface of an electrical cable which is moving along a predetermined direction, the <u>apparatus method</u> comprising:

a detection means for measuring a moving speed of the electrical cable,
a colorant jetting means for jetting a given amount of a colorant at regular intervals

on the outer surface of the electrical cable,

a coating liquid jet means <u>disposed downstream from the colorant jetting means in</u>

<u>the cable moving direction</u> for jetting a given amount of a coating liquid at <u>the</u> regular intervals on the outer surface of the electrical cable to provide a coating layer on the outer surface of the electrical cable.

a storage device for storing a distance between the coating liquid jet means and the colorant jetting means, and

a control means for controlling the coating liquid jet means to jet a given amount of a coating liquid on the colorant coated on the outer surface of the electrical cable to deposit the colorant on the outer surface based on the distance and the electrical cable moving speed measured by the detection means.

wherein the coating liquid includes a coating material for defining the coating layer and a solvent for dissolving the coating material.

Claim 4 (Canceled).

Claim 5 (Currently amended): The apparatus described in claim 3 further comprising:

a storage means for storing a pattern for depositing the coating liquid layer on the outer surface of the electrical cable,

a detection means for measuring the moving speed of the electrical cable, and

OA dated 8/24/04

a second control means for controlling the coating liquid jet means to jet a coating

liquid on the outer surface of the electrical cable to deposit the coating liquid on the outer

surface to define the pattern based on the electrical cable moving speed measured by the

detection means.

Claim 6 (original): The apparatus described in claim 3, the apparatus is combined

with a cutting unit for cutting the electrical cable after the electrical cable is moved as much

as a given distance in the predetermined direction.

Claim 7 (original): The apparatus described in claims 4, wherein the colorant jetting

means can provide a mark on the outer surface of the electrical cable, and the mark

includes a plurality of dots disposed in a longitudinal direction of the electrical cable.

Claim 8 (original) The apparatus described in claims 7, wherein the mark provided

on the outer surface of the electrical cable is covered by the coating liquid to prevent the

mark from wearing off with time.

4